

FIG. 1




FIG. 2





FIG. 3

APPROVED	C. G. FIG.	
BY	CLASS	SUBCLASS
CRAFTSMAN		



EXPOSURE CONDITION AND
IMAGE INTENSITY




FIG. 4




FIG. 5




FIG. 6




FIG. 7

66630-0102220




FIG. 8




FIG. 9

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
WRAFTSMAN		




FIG. 10A





FIG. 10B




SEPARATION
BOUNDARY OF
GATES (~1CD)

FIG. 11




INTEGRATED GATE CHART

Approved by 04060603



EXPOSURE CONDITION AND IMAGE INTENSITY

FIG. 12






FIG. 15




FIG. 16







FIG. 17


APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

defocus = 0 defocus = ± 0.2 defocus = ± 0.4

FINE PATTERN
EXPOSURE



COARSE PATTERN
EXPOSURE



DUAL EXPOSURE





FIG. 21

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		





FIG. 22



INTEGRATED GATE CHART

FIG. 23





FIG. 24

APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
WRAFTSMAN		



EXPOSURE CONDITION AND
IMAGE INTENSITY




FIG. 25

APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 26

66290" 01022200




FIG. 27A

FIG. 27B





FIG. 27C

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DATE		



EXPOSURE CONDITION AND IMAGE INTENSITY

FIG. 28




FIG. 29

APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DATE		




FIG. 30

APPROVED	O.Q. FIG.	
BY	CLASS	SUBCLASS
MAN		




FIG. 31




FIG. 32

APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 33